

IN THE UNITED STATES OF AMERICA  
PATENT AND TRADEMARK OFFICE

APPLICANT(S): DAVID J. FRITZE

TITLE: AUTO INJECTOR ADAPTER FOR GAS CHROMATOGRAPH

DOCKET NO.: 16657-4

COMMISSIONER FOR PATENTS  
P. O. BOX 1450  
ALEXANDRIA, VA 22313-1450

INFORMATION DISCLOSURE STATEMENT

The following information is submitted pursuant to 37 CFR § 1.97 et seq.

Applicant, through his attorney, submits Form PTO/SB/08A, which is attached. The patents, publications or other information listed on the attached forms are those of which he is aware, which he believes may be material to the examination of this application and in respect of which there may be a duty to disclose in accordance with 37 CFR § 1.56.

The filing of this information disclosure statement shall not be construed as a representation that a search has been made (37 § C.F.R. 1.97(g)), an admission that the information cited is, or is considered to be, material to patentability, or that no other material information exists.

The filing of this information disclosure statement shall not be construed as an admission against interest in any manner.

This information is based upon information supplied by the inventor and information  
in the attorney's file.



William R. Coenen, III  
Registration No. 48,239  
Kean, Miller, Hawthorne, D'Armond, McCowan  
& Jarman, L.L.P.  
P.O. Box 3513  
Baton Rouge, LA 70821  
Tel.: (225) 387-0999  
Fax No: (225) 388-9133

Dated: 11/10/04

PTO/SB/08A (08-03)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449/PTO

## INFORMATION DISCLOSURE STATEMENT BY APPLICANT

*(Use as many sheets as necessary)*

**Complete if Known**

Application Number

Filing Date

November 10, 2004

November 10, 2004

**First Named Inventor**

David J. Fritze

Art Unit

Unknown
---------

**Examiner Name**

Unknown
---------

Attorney Docket Number

15567-4
---------

Sheet

1

C

1

## U. S. PATENT DOCUMENTS

[illegible]

## FOREIGN PATENT DOCUMENTS

[illegible]

Examiner Signature		Date Considered	
-----------------------	--	--------------------	--

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. <sup>1</sup>Applicant's unique citation designation number (optional). <sup>2</sup>See Kinds Codes of USPTO Patent Documents at [www.uspto.gov](http://www.uspto.gov) or MPEP 901.04. <sup>3</sup>Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). <sup>4</sup>For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. <sup>5</sup>Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. <sup>6</sup>Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.